IN THE CLAIMS

This listing of claims will replace all prior versions, and listings, of clams in this application.

- (original) An isolated polynucleotide sequence comprising SEQ ID NO:1 or SEQ
 ID NO:3.
- 2. (original) The isolated polynucleotide of Claim 1, which encodes a fertility associated antigen.
 - 3. (original) A vector comprising the isolated polynucleotide of Claim 1.
- 4. (original) The vector of Claim 3, wherein said vector is a prokaryotic expression vector, wherein the vector comprises a bacterial T7 promoter.
 - 5. (original) A host cell comprising the isolated polynucleotide of Claim 1.
- 6. (original) The host cell of Claim 5, which is a bacterial cell, a yeast cell or a mammalian cell.
- 7. (Currently Amended) An isolated polynucleotide, which hybridizes under stringent conditions to the isolated polynucleotide of Claim 1 the complement of SEQ ID NO:1 or SEQ ID NO:3 and which encodes a fertility associated antigen, wherein said stringent conditions comprise hybridization in 50% formamide, 1 M NaCl, 1% SDS at 37°C and a wash in 0.1 X SSC at 60°C to 65°C.

Claim 8 (Cancelled).

9. (Currently Amended) A method of producing a fertility associated antigen comprising introducing the isolated polynucleotide of Claim 1 an isolated polynucleotide encoding fertility associated antigen into a host cell; culturing said host cell under



conditions suitable for expression of fertility associated antigen; and isolating the fertility associated antigen produced.

Claim 10. (cancelled)

- 11. (original) The method of Claim 9, wherein said isolating comprises purifying said fertility associated antigen.
- 12. original) The method of Claim 11, wherein said purifying comprises chromatography and/or affinity separation.
 - 12. (original) The method of Claim 9, wherein said host cell is a bacterial cell.
 - 14. (original) The method of Claim 9, wherein said host cell is yeast cell.
 - 15. (original) The method of Claim 9, wherein said host cell is a mammalian cell.

Claims 16-56 (cancelled)

- 57. (New) The isolated polynucleotide of Claim 1, which comprises SEQ ID NO:1.
- 58. (New) The isolated polynucleotide of Claim 1, which comprises SEQ ID NO:3.
- 59. (New) The isolated polynucleotide of Claim 7, which hybridizes to the complement of SEQ ID NO:1.
- 60. (New) The isolated polynucleotide of Claim 7, which hybridizes to the complement of SEQ ID NO:3.
 - 61. (New) A vector comprising the isolated polynucleotide of Claim 59.
- 62. (New) The vector of Claim 61, wherein said vector is a prokaryotic expression vector, wherein the vector comprises a bacterial T7 promoter
 - 63. (New) A vector comprising the isolated polynucleotide of Claim 60.
- 64. (New) The vector of Claim 63, wherein said vector is a prokaryotic expression vector, wherein the vector comprises a bacterial T7 promoter.

- 65. (New) A host cell comprising the isolated polynucleotide of Claim 59.
- 66. (New) The host cell of Claim 65, which is a bacterial cell, a yeast cell or a mammalian cell.
 - 67. (New) A method of producing a fertility associated antigen comprising introducing the isolated polynucleotide of Claim 59 into a host cell; culturing said host cell under conditions suitable for expression of fertility associated antigen; and isolating the fertility associated antigen produced.
- 68. (New) The method of Claim 67, wherein said isolating comprises purifying said fertility associated antigen.
- 69. (New) The method of Claim 68, wherein said purifying comprises chromatography and/or affinity separation.
 - 70. (New) The method of Claim 67, wherein said host cell is a bacterial cell.
 - 71. (New) The method of Claim 67, wherein said host cell is yeast cell.
 - 72. (New) The method of Claim 67, wherein said host cell is a mammalian cell.
 - 73. (New) A host cell comprising the isolated polynucleotide of Claim 60.
- 74. (New) The host cell of Claim 73, which is a bacterial cell, a yeast cell or a mammalian cell.
- 75. (New) A method of producing a fertility associated antigen comprising introducing the isolated polynucleotide of Claim 60 into a host cell; culturing said host cell under conditions suitable for expression of fertility associated antigen; and isolating the fertility associated antigen produced.
- 76. (New) The method of Claim 75, wherein said isolating comprises purifying said fertility associated antigen.

5

- 77. (New) The method of Claim 76, wherein said purifying comprises chromatography and/or affinity separation.
 - 78. (New) The method of Claim 75, wherein said host cell is a bacterial cell.
 - 79. (New) The method of Claim 75, wherein said host cell is yeast cell.
 - 80. (New) The method of Claim 75, wherein said host cell is a mammalian cell.

(m)